SAFETY IS OUR PRIMARY CONCERN !

TOPLIFT

TOP LIFT INDUSTRIES CO., LTD

Add: R/M E503, NO.8 Xiyuan Jiu Road, Xihu District, Hangzhou City, Zhejiang, China

Postal Code:310030

Tel:+86-571-88680340

Fax:+86-571-88680240

Homepage:www.t-lifting.com

TOP LIFT

TOP LIFT INDUSTRIES CO., LTD





SAFETY IS OUR PRIMARY CONCERN !

COMPANY PROFILE

TOP LIFT INDUSTRIES CO.,LTD

Established in 2012, started from Lifting Tools business at the beginning. Over the past years of development, we have enriched our product range to meet customers' demands. Now TOP LIFT is an enterprise specializing in Lifting Tools, Personal Protective Equipment, and Cargo Control Products.

TOP LIFT products are widely applied in fields like industrial, construction, marine & offshore, oil & gas. Our main products include:
Lifting Tools: Hoist, Manual Trolley, Lifting Clamp, Rigging Fittings, Chain,Lifting Sling, etc.
Personal Protective Equipment: Safety Harness & Lanyard, Safety Gloves, etc.
Cargo Control Products: Ratchet Tie Down, Load Binder, etc.

We have been exporting to over 25 countries, throughout Southeast Asia, Europe, North America, South America and Middle East. Besides, the number of our clients are growing rapidly. We have attained high reputation among customers. This is the best reward for our persistent efforts.

Sharp market insight enables us to keep up with the pace of clients' demand. Excellent quality control throughout all stages of production guarantees uncompromising and trustworthy quality. Professional work team ensure outstanding pre-sales and after-sales service and support.

We have our own brands TOPLIFT, and also provide OEM service.
Our aim is to help our customers gain more profit easily. We are making great efforts to achieve a win-win business. Sincerely welcome you to contact us. Let's work together for mutual success!

YOU CAN REACH US BY:

	Everest Hao
Tel	0086-571-88680340
Fax	0086-571-88680240
Cell	0086-13634140198
WhatsApp	0086-13634140198
E-mail	everest@t-lifting.com



WEBBING PRODUCTION



ROPE PRODUCTION



HARNESS STITCHING



DYNAMIC FALL TEST



LOADING TEST







SALT SPRAY TEST

Production: The webbing and rope are all produced by ourselves, ensuring us to control the production processing strictly.

Quality control: Each step of manufacturing at TOPLIFT follows strict quality control.

TOPLIFT



TP-H01

Material:	Alloy Steel
Gate opening:	55mm
Strength:	25kN
Standard:	EN362: 2004-A

Snap Hook



TP-H04

Material:	Aluminium
Gate opening:	61mm
Strength:	30kN

Snap Hook



TP-H02

Material:	Aluminium
Gate opening:	61mm
Strength:	25kN
Standard:	EN362: 2004-A

Snap Hook



TP-H05

Material:	Aluminium
Gate opening:	61mm
Strength:	25kN
Standard:	EN362: 2004-A

Snap Hook



TP-H03

Material:	Alloy Steel
Strength:	25kN
Gate opening:	55mm
Standard:	EN362: 2004-A

Snap Hook



TP-H08

Material:	Aluminium
Gate opening:	110mm
Strength:	23kN
Standard:	EN362: 2004-A

Snap Hook



TP-H09

Material:	Alloy Steel
Gate opening:	21mm
Strength:	23kN

Snap Hook



TP-H12

Material:	Steel
Gate opening:	18mm
Strength:	23kN
Standard:	EN362:2004-T

Snap Hook



TP-H10

Material:	Alloy Steel
Gate opening:	19mm
Strength:	25kN

Snap Hook



TP-H13

Material:	Aluminium
Gate opening:	23mm
Strength:	25kN
Standard:	EN362:2004-T

Snap Hook



TP-H11

Material:	Alloy Steel
Gate opening:	19mm
Strength:	23kN

Snap Hook



TP-H14

Material:	Steel
Gate opening:	17mm
Strength:	23kN
Standard:	EN362:2004-T

Snap Hook



TP-H15

Material:	Alloy Steel
Gate opening:	17mm
Strength:	12kN

Snap Hook



TP-H18

Material:	Aluminium
Gate opening:	22mm
Strength:	28kN
Standard:	EN362: 2004-T

Snap Hook



TP-H16

Material:	Alloy Steel
Gate opening:	21mm
Strength:	35kN

Snap Hook



TP-H19

Material:	Aluminium
Gate opening:	25mm
Strength:	40kN
Standard:	EN362:2004-T

Snap Hook



TP-H17

Material:	Aluminium
Gate opening:	12mm
Strength:	5kN

Snap Hook



TP-H20

Material:	Aluminium
Gate opening:	24mm
Strength:	25kN

Snap Hook



Carabiner

TP-R01

Lock system:	Screwlock
Material:	Steel
Diameter :	8mm
Gate opening :	10.5mm
Strength:	25kN
Standard:	EN362: 2004-Q



Carabiner

TP-R02A

Lock system:	Screwlock
Material:	Steel
Gate opening:	20mm
Strength:	25kN
Standard:	EN362: 2004-B



Carabiner

TP-R01A

Lock system:	Screwlock
Material:	Steel
Diameter:	8mm
Gate opening:	11mm
Strength:	27kN
Standard:	EN362: 2004-Q



Carabiner

TP-R03

Lock system:	Twistlock
Material:	Steel
Gate opening:	17mm
Strength:	23kN
Standard:	EN362: 2004-B



Carabiner

TP-R02


Lock system:	Screwlock
Material:	Steel
Gate opening:	20mm
Strength:	25kN
Standard:	EN362: 2004-B



Carabiner

TP-R04

Lock system:	Screwlock
Material:	Steel
Gate opening:	26mm
Strength:	35kN
Standard:	EN362: 2004-B



Screwlock System



Twistlock System



TP-R05

Lock system:	Twistlock
Material:	Alloy Steel
Gate opening:	22mm
Strength:	25kN

Carabiner



TP-R07

Lock system:	Screwlock
Material:	Alloy Steel
Gate opening:	22mm
Strength:	45kN

Carabiner



TP-R06

Lock system:	Twistlock
Material:	Alloy Steel
Gate opening:	22mm
Strength:	40kN

Carabiner



TP-R08

Lock system:	Twistlock
Material:	Alloy Steel
Gate opening:	22mm
Strength:	40kN

Carabiner



TP-R09

Material:	Aluminium
Strength:	23kN
Standard:	EN362: 2004-B

Carabiner



TP-R12

Material:	Aluminium
Strength:	22kN
Gate opening:	16mm

Carabiner



TP-R10

Material:	Aluminuim
Gate opening:	19mm
Strength:	25kN
Weight:	83g

Carabiner



TP-R13

Material:	Aluminuim
Gate opening:	22mm
Strength:	23kN
Weight:	92g

Carabiner



TP-R11

Material:	Aluminium
Gate opening :	18mm
Strength:	25kN
Weight:	76g

Carabiner



TP-R14

Material:	Aluminuim
Gate opening:	22mm
Strength:	23kN
Weight:	87g

Carabiner



TP-R15

Lock system:	Screwlock
Material:	Aluminium
Gate opening:	26mm
Strength:	26kN
Standard:	EN362: 2004-B

Carabiner



TP-R18

Lock system:	Screwlock
Material:	Aluminium
Gate opening:	24mm
Strength:	23kN
Standard:	EN362: 2004-B

Carabiner



TP-R16

Lock system:	Twistlock
Material:	Aluminium
Gate opening:	22mm
Strength:	35kN
Standard:	EN362: 2004-B

Carabiner



TP-R19

Lock system:	Twistlock
Material:	Aluminium
Gate opening:	24mm
Strength:	23kN
Standard:	EN362: 2004-B

Carabiner



TP-R17

Lock system:	Screwlock
Material:	Aluminium
Gate opening:	22mm
Strength:	35kN
Standard:	EN362: 2004-B

Carabiner



TP-R20

Lock system:	Twistlock
Material:	Aluminium
Gate opening:	26mm
Strength:	26kN
Standard:	EN362: 2004-B

Carabiner

Triactlock system





TP-R21

Lock system: Triactlock
Material: Steel
Gate opening: 26mm
Strength: 35kN

Carabiner



TP-R23

Lock system: Triactlock
Material: Steel
Gate opening: 19mm
Strength: 40kN
Weight: 185g

Carabiner



TP-R22

Lock system: Triactlock
Material: Steel
Gate opening: 26mm
Strength: 41kN

Carabiner



TP-R24

Lock system: Triactlock
Material: Steel
Gate opening: 19mm
Strength: 40kN
Weight: 185g

Carabiner



Buckle

TP-Z03A

Material:	Steel
Width:	45mm
Strength:	22kN

TP-Z03B

Material:	Steel
Width:	45mm
Strength:	22kN



Buckle

TP-Z07A

Material:	Steel
Width:	45mm
Strength:	18kN

TP-Z07B

Material:	Steel
Width:	45mm
Strength:	18kN



Buckle

TP-Z04A

Material:	Steel
Width:	45/50mm
Strength:	22kN

TP-Z04B

Material:	Steel
Width:	50mm
Strength:	22kN



D-ring

TP-D06

Material:	Steel
Strength:	22kN



Buckle

TP-Z06A

Material:	Steel
Strength:	18kN

TP-Z05B

Material:	Steel
Strength:	18kN



D-ring

TP-D08

Material:	Steel
Strength:	22kN



TP-D10

Material: Steel

Weight: 60g

Strength: 23kN

D-ring



TP-D13

Material: Alloy Steel

Width: 50mm

Strength: 22kN

D-ring



TP-D11

Material: Alloy Steel

Width: 45mm

Strength: 22kN

D-ring




TP-D14

Material: Alloy Steel

Width: 45/50mm

Strength: 22kN

D-ring



TP-D12

Material: Alloy Steel

Width: 50mm

Strength: 22kN

D-ring



TP-D15

Material: Aluminium Alloy

Strength: 25kN

D-ring



TP-F01

Material: Aluminuim Alloy
Diameter: 20mm
Tensile Strength: 25kN

Pulley



TP-F04

Material: Aluminium Alloy
Rope Size: 14mm

Pulley



TP-F02

Material: Aluminuim Alloy
Diameter: 12mm
Weight: 190g
Working Load: 10kN
Breaking Strength: 23kN

Pulley



TP-F05

Material: Aluminium Alloy
Weight: 143g
Strength: 35kN

Rope Access



TP-F03

Material: Aluminium Alloy
Rope Size: 14mm
Strength: 28kN

Pulley



TP-F05A

Material: Aluminium Alloy
Weight: 159g
Strength: 50kN

Rope Access



TP-F06

Material: Aluminium Alloy
Weight: 281g
Strength: 50kN

Rope Access



TP-F08

Material: Aluminium Alloy
MBS: 60kN
Wll: 12kN
Weight: 231g

Rigging Plate



TP-F06A

Material: Aluminium Alloy
Weight: 273g
Strength: 50kN

Rope Access



TP-F09

Material: Aluminium Alloy
Rope Size: 10-12mm
Standard: EN363:2008

Grip Descender



TP-F07

Material: Aluminium Alloy
Diameter: 6-15mm
Standard: EN567

Rope Clamp



TP-F10(Left)
TP-F11(Right)

Material: Aluminium Alloy

Rope Clamp



TP-F12

Material: Alloy Steel
Diameter: 16mm
Weight: 582g

Rope Grab



TP-F15

Material: Aluminium Alloy
Diameter: 8-13mm
Weight: 100g

Rope Grab



TP-F13

Material: Stainless Steel
Diameter: 16mm
Weight: 630g

Rope Grab



TP-F16

Material: Aluminium Alloy
Weight: 137g
Strength: 30kN

Carabiner



TP-F14

Material: Alloy Steel
Diameter: 11-16mm
Weight: 476g

Rope Grab



TP-F17

Material: Aluminium Alloy
Weight: 138g
Strength: 30kN

Carabiner



TP-F18

Material: Aluminium Alloy
Weight: 135g
Strength: 30kN

Carabiner



TP-F21

Material: Aluminium Alloy
Weight: 151g
Diameter: 10-13mm
Strength: 18kN

Rope Grab



TP-F19

Material: Aluminium Alloy
Weight: 201g
Diameter: 8-13mm

Rope Clamp





TP-F22

Material: Aluminium Alloy
Weight: 141g
Diameter: 10-13mm
Strength: 18kN

Rope Grab



TP-F20

Material: Aluminium Alloy
Weight: 210g
Diameter: 8-13mm

Rope Clamp



TP-F23

Material: Aluminium Alloy
Weight: 160g
Diameter: 10-13mm
Strength: 18kN

Rope Grab



TP-F24

Material: Aluminium Alloy
Weight: 155g
Diameter: 10-13mm
Strength: 18kN

Rope Grab



TP-F27

Material: Aluminium Alloy
MBS: 50kN
WLL: 10kN
Weight: 57g

Rigging Plate



TP-F25

Material: Aluminium Alloy
Weight: 92g
Diameter: 8-13mm

Rope Grab



TP-F28

Material: Aluminium Alloy
Weight: 130g
Diameter: 8-13mm

Chest Ascender



TP-F26

Material: Aluminium Alloy
Weight: 159g
Diameter: 9-13mm

Rope Grab



TP-F29

Material: Aluminium Alloy
Weight: 115g
Diameter: 8-13mm

Chest Ascender



TP-F30

Material: Aluminium Alloy

Weight: 97g

Diameter: 8-13mm

Chest Ascender



TP-F33

Material: Aluminium Alloy

Weight: 201g

Pulley



TP-F31

Material: Aluminium Alloy

Weight: 135g

Diameter: 10-13mm

Strength: 15kN

Chest Ascender





TP-F34

Material: Aluminium Alloy

Weight: 193g

Pulley



TP-F32

Material: Aluminium Alloy

Weight: 133g

Diameter: 10-13mm

Strength: 15kN

Rope Ascender





TP-F35

Material: Aluminium Alloy

Weight: 163g

Pulley



TP-F36

Material: Aluminium Alloy

Weight: 155g

Pulley



TP-F39

Material: Aluminium Alloy

Weight: 265g

Diameter: ≤15mm

Strength: 36kN

Pulley



TP-F37

Material: Aluminium Alloy

Diameter: ≤12mm

Strength: 20kN

Pulley



TP-F40

Material: Aluminium Alloy

Weight: 423g

Diameter: ≤13mm

Strength: 36kN

Pulley



TP-F38

Material: Aluminium Alloy

Diameter: ≤12mm

Strength: 20kN

Pulley



TP-F41

Material: Aluminium Alloy

Weight: 74g

Diameter: ≤12mm

Strength: 20kN

Pulley



TP-F42

Material: Aluminium Alloy
Weight: 266g
Diameter: ≤15mm
Strength: 36kN

Pulley



TP-F45

Material: Aluminium Alloy
Diameter: ≤12mm
Strength: 36kN

Pulley



TP-F43

Material: Aluminium Alloy
Weight: 150g
Diameter: ≤14mm
Strength: 30kN

Pulley



TP-F46

Material: Aluminium Alloy
Weight: 263g
Diameter: ≤15mm
Strength: 50kN

Pulley



TP-F44

Material: Aluminium Alloy
Diameter: ≤12mm
Strength: 36kN

Pulley



TP-F47

Material: Aluminium Alloy
Weight: 436g
Diameter: ≤15mm
Strength: 50kN

Pulley



Pulley

TP-F48

Material:	Aluminium Alloy
Weight:	315g
Diameter:	≤15mm
Strength:	36kN



Descender

TP-F51

Material:	Aluminium Alloy
Weight:	366g
Diameter:	8-13mm



Pulley

TP-F49

Material:	Aluminium Alloy
Weight:	505g
Diameter:	≤15mm
Strength:	36kN



Descender

TP-F52

Material:	Aluminium Alloy
Weight:	192.5g
Diameter:	8-9mm
Strength:	22kN



Descender

TP-F50

Material:	Aluminium Alloy
Diameter:	8-13mm
Weight:	332g



Descender

TP-F53

Material:	Aluminium Alloy
Weight:	326g
Diameter:	8-9mm
Strength:	22kN



TP-F54

Material:	Aluminium Alloy
Weight:	65g
Diameter:	8-13mm

Descender



TP-YH-001

Material:	Aluminium
Diameter:	12mm
Strength:	36kN

Ring



TP-G001

Material:	Aluminium Alloy
Weight:	225g
Diameter:	10-13mm/12-16mm
Strength:	15kN

Rope Grab



TP-YH-002

Material:	Aluminium
Diameter:	13mm
Strength:	23kN

Ring



TP-QK-002

Material:	Aluminium Alloy
Weight:	72g
Strength:	18kN

Buckle



TP-QK-004

Material:	Aluminium Alloy
Weight:	62g
Strength:	18kN

Buckle



Buckle

TP-QK-005

Material:	Aluminium Alloy
Weight:	90g
Strength:	18kN



Buckle

TP-QK-008

Material:	Alloy Steel
Weight:	136g
Width:	45mm
Strength:	18kN



Buckle

TP-QK-006

Material:	Aluminium Alloy
Weight:	68g
Strength:	18kN



Buckle

TP-QK-009

Material:	Aluminium
Weight:	72g
Width:	45mm
Strength:	8kN



Buckle

TP-QK-007

Material:	Aluminium Alloy
Weight:	90g
Strength:	18kN



Buckle

TP-QK-010

Material:	Alloy Steel
Weight:	120g
Strength:	15kN



SAFETY NARNESS